

07-11-00

A

jc846 U.S. PTO
07/10/00

Please type a plus sign (+) inside this box → ☐

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	204,688
	First Inventor or Application Identifier	Enrique-Ruben CARDENAS-GRANGUILLOME
	Title	PROCESS FOR THE TREATMENT OF POLLUTED METAL MECHANIC INDUSTRIAL WASTEWATER AND URBAN WATER
	Express Mail Label No	EK051386711US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents		ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231	
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)	ACCOMPANYING APPLICATION PARTS 7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s)) 8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input checked="" type="checkbox"/> Power of Attorney (when there is an assignee) 9. <input type="checkbox"/> English Translation Document (if applicable) 10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations 11. <input type="checkbox"/> Preliminary Amendment 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized) * Small Entity 13. <input checked="" type="checkbox"/> Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired (PTO/SB/09-12) 14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed) 15. <input checked="" type="checkbox"/> Other: <u>Copy of Petition Pursuant to 37 CFR 1.136(a)</u>	
2. <input checked="" type="checkbox"/> Specification [Total Pages 18] (preferred arrangement set forth below) - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies		
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 1]			
4. Oath or Declaration [Total Pages 3] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b)			
* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).			

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment

☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No: **09,090,066**
 Prior application information Examiner **LAWRENCE** Group / Art Unit **1724**

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

<input type="checkbox"/> Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here)		or <input checked="" type="checkbox"/> Correspondence address below	
Name	ABELMAN FRAYNE & SCHWAB		
	Attorneys at Law		
Address	150 East 42nd Street		
	New York, NY 10017		
City	State	Zip Code	
Country	U.S.A.	Telephone	(212) 949-9022
		Fax	(212) 949-9190

Name (Print/Type)	Jay S. Cinnamon	Registration No. (Attorney/Agent)	24,156
Signature	<i>Jay S. Cinnamon</i>	Date	July 10, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231


☐ **NONPROFIT ORGANIZATION** (Check additional applicable box)

A nonprofit organization is defined as:

- ☐ 1) a university or other institution of higher education located in any country; or
- ☐ 2) an organization of the type described in section 501(c)(3) of the Internal Revenue Code of 1954 (26 U.S.C. 501(c)(3) and exempt from taxation under Section 501(a) of the Internal Revenue Code under Section 501(a) of the Internal Revenue Code (26 U.S.C. 501(a); or
- ☐ 3) any nonprofit scientific or educational organization qualified under a nonprofit organization statute of a state of the United States (35 U.S.C. 201(i); or
- ☐ 4) any nonprofit organization located in a foreign country which would qualify as a nonprofit organization under paragraphs (e)(2) or (3), of Rule 1.9 if it were located in the United States.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


Enrique-Ruben Cárdenas-Granguillhome
(Print or type name of small entity)


(Signature and title of person authorized to act on behalf of small entity)

July 5, 2000
(Date)

Lago Zumpango No. 6713, Esquina con Lago Zurich, Colonia Lagos del Bosque, Monterrey, Nuevo León, México C.P. 64890.
(Address)

* If "small entity" is more than one inventor or a combination of "small entities", add name(s), address(es) and signature(s) of other parties below. Please include date.

Full Name of Second Joint Inventor, If Any JUAN-JOSÉ GONZALEZ-GARZA	Inventor's Signature 	Date July 5, 2000
Residence Lago Zumpango No. 6713, Esquina con Lago Zurich, Colonia Lagos del Bosque, Monterrey, Nuevo León, México C.P. 64890.	Citizenship MEXICO	
Post Office Address Same as above		
Full Name of Third Joint Inventor, If Any	Inventor's Signature	Date
Residence	Citizenship	
Post Office Address		

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : ENRIQUE-RUBEN CARDENAS-GRANGUILLHOME AND JUAN-JOSE
GONZALEZ-GARZA

SERIAL No. : EXAMINER :

FILED : GROUP No. :

FOR (TITLE) : A PROCESS FOR THE TREATMENT OF POLLUTED METAL-MECHANIC INDUSTRIAL WASTE
WATER AND URBAN WATER.

VERIFIED STATEMENT AS SMALL ENTITY

Hon. Commissioner of Patents and Trademarks
Washington, D. C. 20231

S I R:

The undersigned declare(s):

Exclusive rights in the above-identified invention reside in the "small entity" defined and named below, and "small entity" fees are appropriate. Qualification as a small entity is based upon the following:
An independent inventor is any inventor who:

☒ X

INDEPENDENT INVENTORS

- 1) has not assigned, granted, conveyed, or licensed, and
- 2) is under no obligation under contract or law to assign, grant, convey, or license any rights in the invention to any person who could not likewise be classified as an independent inventor if that person had made the invention, or to any concern which would not qualify as a small business concern or a non-profit organization as defined in Rule 1.9.

☐

SMALL BUSINESS CONCERN

A small business concern is defined as a business concern:

- 1) whose number of employees, including those of its affiliates, does not exceed 500 persons, and
- 2) which has not assigned, granted, conveyed, or licensed, and is under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor if that person had made the invention, or to any concern which would not qualify as a small business concern or a nonprofit organization as defined in Rule 1.9. Concerns are affiliates of each other when, either directly or indirectly, one concern controls or has the power to control the other, or a third party controls or has the power to control both. The number of employees of the business concern is the average over the fiscal year of the persons employed during each of the pay periods of the fiscal year. Employees are those persons employed on a full-time, part-time or temporary basis during the previous fiscal year of the concern.

(page 1 of 2)

A PROCESS FOR THE TREATMENT OF POLLUTED METAL-MECHANIC
INDUSTRIAL WASTEWATER AND URBAN WATER.

BACKGROUND OF THE INVENTION.

A. FIELD OF THE INVENTION.

5 This invention is related with the treatment of polluted metal mechanic industrial wastewater and urban water and more specifically with a method for the treatment of waste water from industrial processes as well as the so called "black" water of the urban nets by adding ferrous chloride or acid liquors of the same, specifically with a spent pickling liquor containing ferrous chloride and
10 hydrochloric acid, as resulting from industrial processes at the metal-mechanic industry.

B. DESCRIPTION OF THE RELATED ART.

 Mexican metallurgic industry, after privatization, has had a substantial increasing in production of steel and consequently of export products derived
15 from the steel, such as the laminated steel, reaching 1.4 million tons of exports in 1996, and increasing the internal consumption of this product by a 34.5%.

 However the industrial production of laminated steel, generates a great amount of industrial waste, among which is the spent pickling liquor containing ferrous salts and hydrochloric acid, which have been considered as a dangerous
20 waste and consequently it has to be processed by the companies generating them or, as a last resource, said companies have to provide confinements for these dangerous residuals, controlled by the regulations, at a high cost that in turn strike directly in the production costs of the laminated steel. Some companies decompose this liquor by combustion, in order to recover hydrochloric acid and

iron oxides. The hydrochloric acid is recycled to the pickling process and the iron oxides are marketed as pigments or for other uses.

The process for the decomposition of the pickling liquor is usually carried out by combustion in a furnace constructed with a refractory lining having a high content of silica, having a useful life of 5 to 7 years, so that the intensive consumption of energy required for the decomposition, joined to the considerable investment of the required equipment and the low price of the resulting acid and oxides, makes this process very expensive, and consequently the only justification of the same is just for ecological reasons.

However, such processes are not of the zero emission type since there are losses in the order of 2.3 to 31.75 kg. of hydrochloric acid per ton of processed pickling liquor.

As a consequence of these issues, Applicants conducted a deeply research about the properties of the pickling liquor, as starting point for their analysis, founding that the pickling liquor did not have the presence of heavy toxic metals such as: mercury, cadmium, selenium, chromium, lead, etc. and that its typical composition was: 220 g/l of ferrous salts; 15 g/l of hydrochloric acid, in approximately 940 ml. of water whose combination confers it very specific properties for the use in the treatment of industrial and urban water.

Applicants have found that contacting the waste water from the industrial processes as well as the polluted black water of the urban nets, with ferrous chloride or its acidic liquors, a clarifying flocculus of organic material is formed, derived from the precipitation of the ferrous ion, which adsorbs the organic matter (proteins, fatty, oil, carbohydrates, detergents) of this polluted water, by which it is

possible to obtain water with a very low content of pollutants. Therefore, observing that the spent pickling liquor resulting from the processes of the metal-mechanic industry, mainly contains ferrous salts and hydrochloric acid, Applicants found that this spent pickling liquor can be used as the acidic liquor of
5 the ferrous chloride in the direct physical-chemical treatment of the polluted water.

A method of removing soluble sulfide residue and organic compounds from industrial waste water is disclosed in the U.S. Patent No. 4,419,247 of Tenny, which comprises the steps of adding to said scrubber water waste an acidic copper waste in an amount whereby the copper ion added is sufficient to
10 precipitate no more than 90 percent of the sulfide ion present, removing the precipitated copper sulfide, and thereafter adding a pickle acid waste containing ferrous ions in an amount sufficient to essentially completely react with all sulfide present and to precipitate as an iron-copper sulfide mixture.

The objective of Tenny's method, is to treat only small amounts of
15 scrubbed water waste produced by the process for the manufacturing polyolefins from natural gas, containing sulfide and cyanide, in order to produce a caustic water to be treated for recovering sodium hydroxide. Therefore Tenny's process necessarily comprise firstly adding an acidic copper waste and then adding a pickle acid waste containing ferrous ions to precipitate iron sulfide and
20 ferrocyanide, as well as small amounts of oil.

In fact, the main reactive used in Tenny's method is the acidic copper waste and use a small amount of pickle acid waste just to complete the reaction with the sulfide and precipitate as an iron-copper sulfide. The main objective of Tenny's method is to eliminate sulfide and cyanide by the precipitation of iron

00612691-071000

09612691-071000

sulfide and ferrocyanide in order to produce a caustic water to be treated for recovering sodium hydroxide, whereas applicant's process main objective is to treat great amounts of metal-mechanic industrial waste water and urban water containing great amounts of oil, protein and organic material, in order to obtain great volumes of clean water which can be recycled even for human consumption which is not disclosed or even suggested by Tenny.

Furthermore, Tenny does not disclose nor remotely suggest the formation of a flocculus of organic material whereas applicant's process promotes the use of ferrous chloride for the formation of a flocculus of said organic material, by taking advantage of the so named "Z factor" in order to denaturalize the proteins contained in the waste water and promote the formation of said flocculus, which was not recognized nor remotely suggested by Tenny.

With applicants method, it is possible to obtain water with a very low content of pollutants -even for human consume-, allowing at the same time a re-use of the spent pickling liquor whose final destination, at the present time, is the confinement and/ or the decomposition, with polluting consequences for the environment.

SUMMARY OF THE INVENTION.

It is therefore a main objective of the present invention, to provide a process for the treatment of polluted metal-mechanic industrial waste water and urban water, by adding ferrous chloride or their acidic liquors, in order to form a clarifying flocculus of organic material derived from the precipitation of the ferrous ion that adsorbs the organic matter such as the proteins, fatty, oil, carbohydrates and detergents, contained in this polluted water.

It is also a main objective of the present invention, to provide a process for the treatment of polluted metal-mechanic industrial waste water and urban water, of the above disclosed nature, by using the spent pickling liquor resulting from the processes of the metal-mechanic industry mainly containing ferrous salts, hydrochloric acid and water mainly, as the acidic liquor of the ferrous chloride.

It is an additional objective of the present invention, to provide a process for the treatment of polluted metal-mechanic industrial waste water and urban water, of the above disclosed nature, which avoids the necessity of confining and/or decomposition of the spent pickling liquor resulting from the metal-mechanic industry having polluting consequences for the environment.

It is still an additional objective of the present invention, to provide a process for the treatment of polluted metal-mechanic industrial waste water and urban water, of the above disclosed nature, which avoids the enormous costs derived of the process of decomposition and/or confinement of such spent pickling liquor.

These and other objectives and advantages of the present invention, will be apparent to the persons having ordinary skills in the art, from the teachings of the following description of the specific embodiments of the invention, represented by the following examples for carrying out this process.

BRIEF DESCRIPTION OF THE DRAWINGS.

Figure 1 is a graphic of the potentiometric titling of the spent pickling liquor showing the diverse points of neutralization of the pickling hydrochloric free acid and of the chloride ion.

DETAILED DESCRIPTION OF THE INVENTION.

In the industrial environment, there is a great variety of residual water types which, if they are not treated, generate environmental contamination, and for such a reason, in the following a general process for the treatment of industrial and urban water, by using the spent pickling liquor, will be firstly described, and next, some processes for the treatment of specific cases of diverse residual polluted water, by means of specific examples, will also be illustrated:

The general process for the treatment of polluted industrial and urban water of the present invention, comprising:

- 1- Determining the pH of the influent (polluted water), at the input line of a regulating tank, in order to calculate the dosage of the ferrous chloride or of the acidic liquor (spent pickling liquor), to be added, usually an amount of 400 to 2000 g. of ferrous chloride, preferably hexahydrated, per cubic meter of water to be treated or else 1 to 5 lt. of pickling liquor per cubic meter of influent, and more preferably 2 liters of liquor per cubic meter of influent;
- 2- Determining the pH of the effluent (water in treatment) at the output line of the regulating tank and adjust it with lime slurry at 7% weight/volume, to a range of 5.5 to 9.5, preferably of 8.5, and discharging the effluent at a settling tank, through its lower end;
- 3- Settling the treated effluent, in the settling tank during a residing time of 40 to 120 minutes according to the flow of the effluent which is being treated, preferably 60 minutes, so as to precipitate solids and forming a flocculus until the hydrodynamic analysis shows a laminar flow on the flocculus;
- 4- Passing the effluent with the precipitate, to a flocculing tank preferably with a

cylindrical-conical geometry wherein a filtering precipitate bed is formed at the conical lower end of the flocculating tank, through which the effluent flow is passed in order to retain the precipitate in the filtering bed.

The effluent of this tank, obtained at the upper end of the tank, must comply with
5 the corresponding norm, as totally clarified.

5- Constantly maintaining the level of precipitate into the flocculating tank, by programmed purges and appropriate controls, these purges will pass to a thickener tank for a letter filtration.

The filtered liquid will be recycled to the regulating tank.

10 The precipitate will be discarded according to the regulations.

As it was previously mentioned, the treating processes of the diverse types of water will be presented at the following examples of treatment with spent pickling liquor, which is one of the most economic and available sources.

EXAMPLES

15 EXAMPLE 1:

Water from a process of the metal-mechanic industry (laminated, colored, galvanized and another steel.)

Process. The dosage is by cubic meter of industrial processed water.

1. Determining the pH to 10.68.
- 20 2. Adding 2 liters of spent pickling liquor, to a pH of 5.3.
3. Adding a lime slurry, in order to adjust the pH to 8.5.

The following comparative table shows the analysis of the product and of the influent.

Physicochemical analysis of the following effluents.

	Parameter	Product	Influent
	pH	8.27	10.1
	Total alkalinity	120.0	4750.0
	CaCO3 alkalinity	0.0	3750.0
5	Bi CaCO3 alkalinity	120.0	0.0
	Hydroxyl alkalinity	0.0	1360.0
	Temporal hardness	237.0	120.0
	Permanent hardness	1051.0	110.0
	Total hardness	237.0	120.0
10	Calcium hardness	232.0	120.0
	Magnesium hardness	4.0	0.0
	Total solids dissolved.	1012.0	6000.0
	Conductivity ((Mhos)	2600.0	9000.0
	Fatty and oil	23.0	6500.0
15	Calcium	93.0	60.0
	Magnesium	5.5	0.0
	Sodium	573.0	2991.0
	Chloride	836.0	600.0
	Sulfate	94.0	1360.0
20	Iron	0.05	0.60
	Silica	5.0	58.0
	Heavy metal analysis		
	Parameter	Product	Influent
	Chrome Cr	0.00	0.60

00642691-071000

	Copper Cu	0.00	0.03
	Nickel Ni	0.10	0.55
	Manganese Mn	0.65	1.55
	Lead Pb	0.00	1.60
5	Zinc Zn	0.15	2.08
	Cadmium Cd	0.00	0.00
	Aluminum Al	0.08	1.00

The influent is polluted water that arrives in order to be treated and the product is the water already treated.

10 EXAMPLE 2.

Textile waters from the dye process of light cloth fabric, (indigo Blue).-

Process:

The dosage is by cubic meter of residual industrial water.

1. Determining the pH of the residual water, to 9.98.
- 15 2. Adding 5 liters of spent pickling liquor.
3. Determining the final pH to 4.0.
4. Adding lime slurry up to a final pH of 7.3.

Results:

20 After decanting the precipitate, the water product is free of color and looks colorless to the human eye.

Determining the absorbency.

Water before the treatment 100%

Water after the treatment 9%

EXAMPLE 3

Emulsified oil from cutting machines.

Treated volume: 1 cubic meter with a pH of 10.04.

Spent pickling liquor: 25 liters with a pH of 4.58, with agitation.

Resting Time: 60 minutes.

5 Separating oily creams: 100 liters.

Opaque solution: 900 liters.

Adding lime slurry: 100 liters with a pH of pH 7.54.

Filtering through the flocculus.

Results.



10	Variable.	Creams.	Product water.
	Color	5.57	7.54
	Conductivity	N.D.	47.00
	Total of suspended solids	12940.00	55.70
	Suspended solids	0.0	6.00
15	Fatty and oil	32506.23	3.00
	D Q O	1,648000.00	6570.00
	DBO	97558.70	2097.98

Independently of the theoretical basis of the clarification mechanism contributed by the formation of the flocculus, the procedure of the present invention has given previously disclosed the results.


Nevertheless, with the exclusive purpose of disclosing the mechanism of clarification or purification of the polluted waters, by means of the addition of spent pickling liquor, according with the present invention, the theoretical basis of the formation of the flocculus (cationic polymer) and its clarifying effect will be

discussed:

The reaction between the polluted water and the spent pickling liquor can be illustrated with $\text{Fe}(\text{H}_2\text{O})_4^{2+}$ when reacts with a hydroxide ion and immediately is condensed:



The dimer and other polymers which are formed, intervene in a big amount of balances illustrated by the dissociation reactions, as:



10 and




15 A later neutralization of the dimmer by elimination of protons of the hydration water molecules leads to the condensation reactions in order to form trimmers, tetrammers, etc. When the polymer becomes very long and the positive charge becomes very diffuse, the moisturized ferrous oxide could be precipitated, $\text{FeO} \cdot x \text{H}_2\text{O}$.

20 Generally if an alkaline hydroxide is added to a solution of metallic cations, the hydroxide precipitate is not pure, because it is polluted by anions as a result of basic salts or by absorption of anions and it is not equivalent to a pure hydroxide, which is beneficial for the treatment process of residual water, since there is a great tendency to the co-precipitation.

The sulfates are precipitated in a greater amount than the chlorides, and the chlorides are precipitated in a greater amount than the nitrates or the perchlorates (Gilchrist 1943).

According to the theory of the coordination by Alfred Werner, professor of Chemistry of the University of Zurich, in the elements that form the complexes, the index of coordination of a central element of the same, is their primary valence multiplied by two, so: in the Co^{3+} ion, the number of bonds admitted, in the Fe^{3+} are six and, in the Fe^{2+} are four.

The spatial distribution of the bond (molecules tied with a coordinate covalence to the central atom), according to the theory of the chemical bond and the hybridization of the atomic and molecular orbits, in the coordination compounds with an index of four, the atomic hybridization of the central cation, in this case the Fe^{2+} , it is dsp^2 , that geometrically corresponds to a square plane with a bond placed at each vertex of the same, as shown in the following figure:




Due to the geometry of the four bonds, the metallic ion is exposed to the attack of additional groups above and under the plane of the bonds.

This situation is shown practically by the work of the ferrous ion flocculus when it is contacted with the municipal residual water and the water of industrial


processes, and it is the basis of the absorption of organic matter (proteins, fatty, oil, carbohydrates, detergents), that are absorbed by the flocculus, which is manifested by the lowering of the DQO and the clarification of the tried waters

- 5 The theoretical effectiveness compared with the Fe^{+3} , is based on the fact that the Fe^{+3} has the hybridization d^2sp^3 that is equal to a geometry of a central atom surrounded by six bonds, equidistantly distributed in the space forming two tetrahedrons linked by their basis.



- 10 The formation of the flocculus that is the polymeric form of the cation is explained as follows (Basolo and Pearson 1958).

For the ferrous ion:




By means of crystallographic analysis it has been determined that this complex crystallizes with bonds of neighboring units on and under the central nucleus of coordination (Basolo and Pearson 1958).-


The bonding lengths between an iron atom and the molecules of water (bonds), of the neighboring units, are a little longer than the square plane union distances of the coordination geometry, as a consequence of the molecular hybridization of the bond.

Undoubtedly, the complex is solvated on and under the plane, in such a way that the bonding of the central metal of the complex, with the molecule of water of the neighboring complex, is only of attraction, due to a dielectric constant that it is shown by the pH of the solution (the optimum pH is in the range of 8.5 to 9.5).

The great difference in the behavior of the Fe^{3+} ion is its index of coordination of six, and its geometry, since the polymerized octahedrons can be linked by a vertex:



or an edge:



- 5 The solvating occurs, but in a more slowly way, due to the natural esteric impediment of the water molecules that are on the central coordination atom and the union force with the flocculus that is weaker and therefore less effective.

Another theoretical advantage of the ferrous ion flocculus against the ferric ion flocculus is that the ferrous polymer, according to its coordination index, will
 10 always be surrounded by four molecules of water, against six of the ferric ion; this is shown by the speed of decanting, since the ferrous ion flocculus density is 17% heavier than that of the ferric ion.

Last but not least, the theoretical basis of the amounts of liquor that are necessary in order to clarify the diverse types of water, as well as the stages of
 15 adjustment of the pH, of the process, is the result of a potentiometric titration of the spent pickling liquor.

As it is illustrated in the Graphic of Potentiometric Titration of the spent pickling liquor, which is shown in Figure 1, on potentiometrically titrating the spent pickling liquor with a sodium hydroxide solution 1N, a graphic of neutralization is obtained where the following points are observed:

- 5 a) a point 1 of equivalence to a pH of 3.6 indicating the neutralization of the pickling free hydrochloric acid, equivalent to 15 g/l;
- b) a point 2 of equivalence that indicating the first neutralization of the chloride ion to a pH of 7.25, forming a compound of basic II iron chloride;
- c) a point 3 of equivalence indicating the total neutralization of the II iron chloride
- 10 to a pH of 10.25, forming a II iron hydroxide .

Finally it must be understood that the present invention, is not limited exclusively to the examples above described and that the persons having ordinary skill in the art can, will be able, through the teaching provided by this invention, to make qualitative and quantitative changes in the steps and components of the

15 process of the present invention, which will clearly be within of the true inventive concept and of the scope of the invention which is claimed in the following claims:

WE CLAIM

1. Process for the treatment of polluted metal-mechanic industrial waste water and urban water, comprising: treating the polluted water with about 400 to about 2000 grams of acid liquor including ferrous chloride and hydrochloric acid, 5 per cubic meter of polluted water, in order to promote the denaturalization of protein present in metal-mechanic industrial water or urban water and generate a clarifying and purifying flocculus from said polluted water.

2. The process as claimed in claim 1, wherein the ferrous chloride is hexahydrated ferrous chloride.

10 3. The process as claimed in claim 1, wherein the acid liquor is a spent pickling liquor containing ferrous chloride and hydrochloric acid, derived from metal-mechanic industry processes.

4. The process as claimed in claim 1, wherein the acid liquor is a spent pickling liquor comprising from about 1 to about 220 g/l of ferrous chloride, at 15 least about 10 g/l of hydrochloric acid and the remainder comprising water.

5. The process as claimed in claim 1, wherein it is promoted the formation of a flocculus of organic material.

A PROCESS FOR THE TREATMENT OF POLLUTED METAL-MECHANIC
INDUSTRIAL WASTEWATER AND URBAN WATER.

ABSTRACT

Process for the treatment of polluted metal-mechanic industrial waste
5 water and urban water, comprising: treating the polluted water with an acid liquor
including ferrous chloride and hydrochloric acid, in order to promote the
denaturalization of protein present in metal-mechanic industrial water or urban
water and generate a clarifying and purifying flocculus from said polluted water.

09612694-071000




FIG. 1

09612691-071000

UNITED STATES

PATENT APPLICATION DECLARATION AND POWER OF ATTORNEY - ORIGINAL APPLICATION	ATTORNEY'S DOCKET NO. 204,688
--	--

As a below named Inventor, I hereby declare that:
 My residence, post office address and citizenship are as stated below next to my name;
 I verily believe I am the original, first and sole Inventor (of only one named is listed below) or a joint Inventor (if plural Inventors are named below) of the invention entitled:

(1) TITLE OF INVENTION (1) A PROCESS FOR THE TREATMENT OF POLLUTED METAL-MECHANIC INDUSTRIAL WASTEWATER AND URBAN WATER.

The specification of which

(2) CHECK
APPROPRIATE
BOX

(2) ☒ is attached hereto.

☐ was filed on _____ As Application No. _____
 and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge my duty to disclose information of which I am aware which is material to the examination of this application under 37 CFR 1.56(a); the invention has not been patented or made the subject of a inventor's certificate issued before the date of this application in any country foreign to the United States of America of an application filed by me or my legal representatives or assigns more than twelve months prior to this application; and as to applications for patents or inventor's certificate on the invention filed in any country foreign to the United States prior to this application by me or by my legal representatives or assigns,

(3) CHECK
APPROPRIATE
BOX

(3) ☐ no such application have been filed, or

☒ Such applications have been filed as follows

(4) COMPLETE
DATA
INDICATED
IF APPLICABLE

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 MONTHS PRIOR TO THIS APPLICATION				
Country	Application Number	Date of Filing (day, month, year)	Date of Issue (day, month, year)	Priority Claimed Under 35 USC 119
(4)				<input type="checkbox"/> Yes <input type="checkbox"/> No
				<input type="checkbox"/> Yes <input type="checkbox"/> No
ALL FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 MONTHS PRIOR TO THIS APPLICATION				
(4) MEXICO	976,487	26/AUGUST/1997		<input checked="" type="checkbox"/> Yes

I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s) listed below, and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national filing date of this application.

C-I-P of
(5) COMPLETE

(5) 09/090,066 June 3, 1998 Pending

DATA INDICATED
IF APPLICABLE

(Application Ser. No.) (Filing date) (Status: patented, pending, abandoned)

(5) _____
 (Application Ser. No.) (Filing date) (Status: patented, pending, abandoned)

Power of Attorney: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

30,659	Jeffrey A. Schwab, Registration Number 24,490	Michael I. Markowitz, Registration Number
25,928	Stewart J. Fried, Registration Number 20,694	Thomas E. Spath, Registration Number
25,837	Jay S. Cinamon, Registration Number 24,156	Joseph J. Catanzaro, Registration Number
41,493	Dennis A. Mason, Registration Number 19,571	Anthony Coppola Registration Number



Send Correspondence To:
Abelman, Frayne & Schwab
150 East 42nd Street
New York, New York 10017 - 5612

Direct Telephone Calls To:
Jeffrey A. Schwab, Stewart J. Fried, Jay S. Cinamon,
Dennis A. Mason, Michael I. Markowitz,
Thomas E. Spath, Joseph J. Catanzaro
or Anthony Coppola at (212) 949-9022

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued therefrom.

(6) DETAILS
REQUIRED

FOR EACH
INVENTOR

FULL NAME OF SOLE OR FIRST INVENTOR ENRIQUE-RUBEN CARDENAS - GRANGUILLHOME		INVENTOR'S SIGNATURE 	DATE July 5, 2000
RESIDENCE Lago Zumpango No. 6713, Esquina con Lago Zurich, Colonia Lagos del Bosque, Monterrey, Nuevo León, México C.P. 64890.		CITIZENSHIP México	
POST OFFICE ADDRESS Same as above			
FULL NAME OF SECOND JOINT INVENTOR, IF ANY JUAN-JOSÉ GONZALEZ-GARZA		INVENTOR'S SIGNATURE 	DATE July 5, 2000
RESIDENCE Lago Zumpango No. 6713, Esquina con Lago Zurich, Colonia Lagos del Bosque, Monterrey, Nuevo León, México C.P. 64890.		CITIZENSHIP México	
POST OFFICE ADDRESS Same as above			
FULL NAME OF THIRD JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY		INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			

000720: 76927960

ABELMAN, FRAYNE & SCHWAB 150 East, 42nd Street, New York, New York 10017 - 5612

Page 2

000T40T692F960